

02-65000-18

Original Effective Date: 07/15/14

Reviewed: 06/22/23

Revised: 08/21/23

Subject: Visco canalostomy and Canaloplasty

THIS MEDICAL COVERAGE GUIDELINE IS NOT AN AUTHORIZATION, CERTIFICATION, EXPLANATION OF BENEFITS, OR A GUARANTEE OF PAYMENT, NOR DOES IT SUBSTITUTE FOR OR CONSTITUTE MEDICAL ADVICE. ALL MEDICAL DECISIONS ARE SOLELY THE RESPONSIBILITY OF THE PATIENT AND PHYSICIAN. BENEFITS ARE DETERMINED BY THE GROUP CONTRACT, MEMBER BENEFIT BOOKLET, AND/OR INDIVIDUAL SUBSCRIBER CERTIFICATE IN EFFECT AT THE TIME SERVICES WERE RENDERED. THIS MEDICAL COVERAGE GUIDELINE APPLIES TO ALL LINES OF BUSINESS UNLESS OTHERWISE NOTED IN THE PROGRAM EXCEPTIONS SECTION.

[Position Statement](#)

[Billing/Coding](#)

[Reimbursement](#)

[Program Exceptions](#)

[Definitions](#)

[Related Guidelines](#)

[Other](#)

[References](#)

[Updates](#)

DESCRIPTION:

Glaucoma surgery is intended to reduce intraocular pressure when the target intraocular pressure cannot be reached with medications. Due to complications with established surgical approaches (eg, trabeculectomy), alternative surgical treatments (eg, transluminal dilation by visco canalostomy or canaloplasty) are being evaluated for those with glaucoma.

Visco canalostomy is a variant of deep sclerectomy and unroofs and dilates the Schlemm canal without penetrating the trabecular meshwork or anterior chamber. A high-viscosity viscoelastic solution (eg, sodium hyaluronate) is used to open the canal and create a passage from the canal to a scleral reservoir. It has been proposed that visco canalostomy may lower intraocular pressure while avoiding bleb-related complications.

Canaloplasty, which evolved from visco canalostomy, involves dilation and tension of the Schlemm canal with a suture loop between the inner wall of the canal and the trabecular meshwork. This ab externo procedure uses the iTrack illuminated microcatheter to access and dilate the length of the Schlemm canal and to pass the suture loop through the canal. An important difference between visco canalostomy and canaloplasty is that canaloplasty attempts to open the entire length of the Schlemm canal, rather than one section.

POSITION STATEMENT:

Canaloplasty **meets the definition of medical necessity** as a method to reduce intraocular pressure in individuals with chronic primary open-angle glaucoma (POAG) under the following conditions:

- Medical therapy has failed to adequately control intraocular pressure, **AND**

- The individual is not a candidate for any other intraocular pressure lowering procedure (e.g. trabeculectomy or glaucoma drainage implant) due to a high risk for complications.

Canaloplasty is considered **experimental or investigational** for all other conditions, including angle-closure glaucoma. There is a lack of clinical data to permit conclusions regarding net health outcomes.

Viscocanalostomy is considered **experimental or investigational** for any condition. There is a lack of clinical data to permit conclusions regarding net health outcomes.

BILLING/CODING INFORMATION:

CPT Coding:

66174	Transluminal dilation of aqueous outflow canal (eg, canaloplasty); without retention of device or stent
66175	Transluminal dilation of aqueous outflow canal (eg, canaloplasty); with retention of device or stent

ICD-10 Diagnosis Codes That Support Medical Necessity:

H40.10X0 – H40.10X4	Unspecified open-angle glaucoma
H40.1110 – H40.1194	Primary open-angle glaucoma, staged
H40.1210 – H40.1294	Low-tension glaucoma
H40.1310 – H40.1394	Pigmentary glaucoma
H40.151 – H40.159	Residual stage of open-angle glaucoma

REIMBURSEMENT INFORMATION:

Refer to section entitled [POSITION STATEMENT](#).

PROGRAM EXCEPTIONS:

Federal Employee Program (FEP): Follow FEP guidelines.

State Account Organization (SAO): Follow SAO guidelines.

Medicare Advantage products: No National Coverage Determination (NCD) and/or Local Coverage Determination (LCD) were found at the time of the last guideline reviewed date.

If this Medical Coverage Guideline contains a step therapy requirement, in compliance with Florida law 627.42393, members or providers may request a step therapy protocol exemption to this requirement if based on medical necessity. The process for requesting a protocol exemption can be found at [Coverage Protocol Exemption Request](#)

DEFINITIONS:

No guideline specific definitions apply.

RELATED GUIDELINES:

01-92000-24, Aqueous Shunts and Stents for Glaucoma

OTHER:

None applicable.

REFERENCES:

1. AHRQ National Guideline Clearinghouse. Guideline Summary NGC-8198: Primary open-angle glaucoma. San Francisco (CA): American Academy of Ophthalmology. (2010).
2. AHRQ National Guideline Clearinghouse. Guideline Summary NGC-8555: Care of the patient with open angle glaucoma. St. Louis (MO): American Optometric Association. (2010).
3. Aktas Z, et al. Application of canaloplasty in glaucoma gene therapy: where are we? *J Ocul Pharmacol Ther.* 2014 Mar-Apr;30(2-3):277-82.
4. American Academy of Ophthalmology Glaucoma Panel. Preferred Practice Pattern® Guidelines. Primary Open-Angle Glaucoma. San Francisco, CA: American Academy of Ophthalmology; 2010. Accessed at: www.aao.org/ppp on 04/22/14.
5. American Academy of Ophthalmology. Primary Open-Angle Glaucoma Summary Benchmarks for Preferred Practice Pattern® Guidelines; 2013. Accessed at: www.aao.org/ppp on 04/22/14.
6. American Optometric Association. Care of the patient with open angle glaucoma. St. Louis (MO): American Optometric Association; 2010.
7. Beres H, Scharioth GB. Canaloplasty in the spotlight: surgical alternatives and future perspectives. *Rom J Ophthalmol.* 2022 Jul-Sep;66(3):225-232. doi: 10.22336/rjo.2022.44.
8. Berman T, Somerville T, Choudhary A. Long-term outcomes of viscocanalostomy and phacoviscocanalostomy in patients with narrow angle glaucoma. *Graefes Arch Clin Exp Ophthalmol.* 2022 Jun;260(6):1995-2002. doi: 10.1007/s00417-021-05497-2. Epub 2021 Nov 24.
9. Blue Cross Blue Shield Association Evidence Positioning System®. 9.03.26-- Viscocanalostomy and Canaloplasty, 04/23.
10. Brandão LM, Grieshaber MC. Update on Minimally Invasive Glaucoma Surgery (MIGS) and New Implants. *J Ophthalmol.* 2013;2013:705915.
11. Brandao LM, Schötzau A, Grieshaber MC. Suture Distension of Schlemm's Canal in Canaloplasty: An Anterior Segment Imaging Study. *J Ophthalmol.* 2015; 2015: 457605.
12. Brusini P. Canaloplasty in open-angle glaucoma surgery: a four-year follow-up. *ScientificWorldJournal.* 2014 Jan 16;2014:469609.
13. Brusini P, et al. Canaloplasty in Corticosteroid-Induced Glaucoma. Preliminary Results. *J Clin Med.* 2018 Feb 11;7(2). pii: E31.
14. Byszewska A, Konopińska J, Kicińska AK, Mariak Z, Rękas M. Canaloplasty in the Treatment of Primary Open-Angle Glaucoma: Patient Selection and Perspectives. *Clin Ophthalmol.* 2019;13:2617–2629. Published 2019 Dec 31. doi:10.2147/OPTH.S155057.
15. Cagini C, Peruzzi C, Fiore T, Spadea L, Lippera M, Lippera S. Canaloplasty: Current Value in the Management of Glaucoma. *Journal of Ophthalmology.* 2016 Apr 30;2016.
16. Chai C, Loon, SC. Meta-analysis of Viscocanalostomy Versus Trabeculectomy in Uncontrolled Glaucoma. *Journal of Glaucoma* 2010; 19(8): 519-527.

17. Cheng JW, Cheng SW, Cai JP, Li Y, Wei RL. Systematic overview of the efficacy of nonpenetrating glaucoma surgery in the treatment of open angle glaucoma. *Med Sci Monit.* 2011 Jul;17(7):RA155-63.
18. ClinicalTrials.gov. NCT02908633: Safety and Efficacy of Three Variants of Canaloplasty With Phacoemulsification to Treat Glaucoma and Cataract. Military Institute of Medicine, Poland (September 2016).
19. Eid TM, Tantawy WA. Combined Visco canalostomy-Trabeculectomy for management of Advanced Glaucoma - A Comparative Study of the Contralateral Eye: A Pilot Study. *Middle East Afr J Ophthalmol.* 2011 Oct;18(4):292-7.
20. Francis A, et al. Novel Glaucoma Procedures: A Report by the American Academy of Ophthalmology. *Ophthalmology* Volume 118, Issue 7 , 1466-1480, July 2011.
21. Gabai A, Cimarosti R, Battistella C, Isola M, Lanzetta P. Efficacy and Safety of Trabeculectomy Versus Nonpenetrating Surgeries in Open-angle Glaucoma: A Meta-analysis. *J Glaucoma.* 2019;28(9):823–833. doi:10.1097/IJG.0000000000001323.
22. Gad AAM, Abdulhalim BH, et al. Combined phacoemulsification and visco canalostomy with Ologen implant versus combined phacoemulsification and visco canalostomy. *BMC Ophthalmol.* 2019 Feb 6;19(1):45. doi: 10.1186/s12886-019-1049-6.
23. Ghate D, Wang X. Surgical interventions for primary congenital glaucoma. *Cochrane Database Syst Rev.* 2015 Jan 30;1:CD008213.
24. Grieshaber MC et al. Long-term results of up to 12 years of over 700 cases of visco canalostomy for open-angle glaucoma. *Acta Ophthalmol.* 2015 Jun;93(4):362-7.
25. Gunenc U, Ozturk T, Arikan G, Kocak N. Long-term results of visco canalostomy and phacovisco canalostomy: a twelve-year follow-up study. *International journal of ophthalmology.* 2015;8(6):1162.
26. Ho DK, et al. Effect of primary Phacovisco canalostomy/ Visco canalostomy on intraocular pressure of normal tension glaucoma patients: 3-year results. *BMC Ophthalmol.* 2017 Nov 6;17(1):201.
27. Hughes T, Traynor M. Clinical Results of Ab Interno Canaloplasty in Patients with Open-Angle Glaucoma. *Clin Ophthalmol.* 2020 Oct 29;14:3641-3650. doi: 10.2147/OPTH.S275087.
28. Khaimi MA. Canaloplasty: A Minimally Invasive and Maximally Effective Glaucoma Treatment. *Journal of ophthalmology.* 2015 Oct 1;2015.
29. Klink T, et al. Quality of life following glaucoma surgery: canaloplasty versus trabeculectomy. *Clin Ophthalmol.* 2015; 9: 7–16.
30. Konopińska J, Mariak Z, Rekas M. Improvement of the Safety Profile of Canaloplasty and Phacocanaloplasty: A Review of Complications and Their Management. *J Ophthalmol.* 2020 Jun 16;2020:8352827. doi: 10.1155/2020/8352827.
31. Liu H, Zhang H, Li Y, Yu H. Safety and efficacy of canaloplasty versus trabeculectomy in treatment of glaucoma. *Oncotarget.* 2017 Jan 19. doi: 10.18632/oncotarget.14757.
32. Lin ZJ, Xu S, Huang SY, Zhang XB, Zhong YS. Comparison of canaloplasty and trabeculectomy for open angle glaucoma: a Meta-analysis. *Int J Ophthalmol.* 2016 Dec 18;9(12):1814-1819.
33. Lyons CM, Oehring D, Mathews D. Visco canalostomy and combined phacoemulsification with visco canalostomy: A five-year follow-up. *Indian J Ophthalmol.* 2022 Jan;70(1):153-157. doi: 10.4103/ijo.IJO_588_21.
34. Matlach J, Freiberg FJ, Leippi S, Grehn F, Klink T. Comparison of phacotrabeculectomy versus phacocanaloplasty in the treatment of patients with concomitant cataract and glaucoma. *BMC Ophthalmol.* 2013 Jan 29;13:1.

35. Moghimi S, Hamzeh N, et al. Combined glaucoma and cataract surgery: Comparison of viscocanalostomy, endocyclophotocoagulation, and ab interno trabeculectomy. *J Cataract Refract Surg.* 2018 May;44(5):557-565. doi: 10.1016/j.jcrs.2018.03.024.
36. National Institute for Health and Clinical Evidence (NICE). Interventional Procedure Guidance 260: Canaloplasty for primary open-angle glaucoma. 2008. Accessed at: <http://www.nice.org.uk> on 04/22/14.
37. Riva I, Brusini P, et al. Canaloplasty in the Treatment of Open-Angle Glaucoma: A Review of Patient Selection and Outcomes. *Adv Ther.* 2019 Jan;36(1):31-43. doi: 10.1007/s12325-018-0842-6. Epub 2018 Nov 28.
38. Salloukh AE, Ansari AS, et al. Evaluating the long-term efficacy and effectiveness of Viscocanalostomy and combined phacoemulsification with Viscocanalostomy in the treatment of patients with uveitic glaucoma: 5-year follow up data. *BMC Surg.* 2021 Apr 19;21(1):200. doi: 10.1186/s12893-021-01176-5.
39. Szurman P. Advances in Canaloplasty-Modified Techniques Yield Strong Pressure Reduction with Low Risk Profile. *J Clin Med.* 2023 Apr 21;12(8):3031. doi: 10.3390/jcm12083031.
40. Wagdy FM. Canaloplasty versus Viscocanalostomy in Primary Open Angle Glaucoma. *Electron Physician.* 2017 Jan 25;9(1):3665-3671.
41. Want A, Ho DK, Karri B, Mathews D. The efficacy of Viscocanalostomies and combined phacoemulsification with Viscocanalostomies in the treatment of patients with glaucoma: a non-randomised observational study. *BMC Ophthalmol.* 2018 May 2;18(1):111. doi: 10.1186/s12886-018-0773-7.
42. Xie MS, et al. Experimental circumferential canaloplasty with a new Schlemm canal microcatheter. *Int J Ophthalmol.* 2018 Jan 18;11(1):1-5.
43. Yu Y, Liu ZL, Cao L, Nie QZ. Clinical effect of improved viscocanalostomy for the treatment of primary congenital glaucoma. *Int J Ophthalmol.* 2012;5(4):466-8.
44. Zhang J, Wang NL. Progression on canaloplasty for primary open angle glaucoma. *Int J Ophthalmol.* 2019;12(10):1629–1633. Published 2019 Oct 18. doi:10.18240/ijo.2019.10.16.

COMMITTEE APPROVAL:

This Medical Coverage Guideline (MCG) was approved by the Florida Blue Medical Policy and Coverage Committee on 06/22/23.

GUIDELINE UPDATE INFORMATION:

07/15/14	New Medical Coverage Guideline.
06/15/15	Scheduled review. Position Statement maintained. Revised ICD9/ICD10 coding and updated references.
11/01/15	Revision: ICD-9 Codes deleted.
07/15/16	Scheduled review. Maintained Position statement section. Updated references.
10/01/16	ICD-10 coding update: deleted codes H40.11X0 – H40.11X4; added codes H40.1110 – H40.1194.
07/15/17	Scheduled review. Maintained Position Statement section. Updated references. Reformatted guideline.
06/15/18	Scheduled review. Maintained Position Statement section. Updated references.
06/15/19	Scheduled review. Position statement maintained. Updated references.

06/15/20	Scheduled review. Revised description, Maintained position statement and updated references.
07/15/21	Scheduled review. Revised description, maintained position statement, and updated references.
01/01/23	Annual CPT/HCPCS coding update. Revised 66174, 66175.
07/15/23	Scheduled review. Maintained position statement and updated references.
08/21/23	Update to Program Exceptions section.