

02-99221-12

Original Effective Date: 02/15/04

Reviewed: 12/08/23

Revised: 01/01/24

## Subject: Cryoablation of Tumors Located in the Kidney, Lung, Breast, Pancreas, or Bone

THIS MEDICAL COVERAGE GUIDELINE IS NOT AN AUTHORIZATION, CERTIFICATION, EXPLANATION OF BENEFITS, OR A GUARANTEE OF PAYMENT, NOR DOES IT SUBSTITUTE FOR OR CONSTITUTE MEDICAL ADVICE. ALL MEDICAL DECISIONS ARE SOLELY THE RESPONSIBILITY OF THE PATIENT AND PHYSICIAN. BENEFITS ARE DETERMINED BY THE GROUP CONTRACT, MEMBER BENEFIT BOOKLET, AND/OR INDIVIDUAL SUBSCRIBER CERTIFICATE IN EFFECT AT THE TIME SERVICES WERE RENDERED. THIS MEDICAL COVERAGE GUIDELINE APPLIES TO ALL LINES OF BUSINESS UNLESS OTHERWISE NOTED IN THE PROGRAM EXCEPTIONS SECTION.

<a href="#">Position Statement</a>	<a href="#">Billing/Coding</a>	<a href="#">Reimbursement</a>	<a href="#">Program Exceptions</a>	<a href="#">Definitions</a>	<a href="#">Related Guidelines</a>
<a href="#">Other</a>	<a href="#">References</a>	<a href="#">Updates</a>			

### DESCRIPTION:

Cryosurgical ablation (also known as cryosurgery or cryoablation) involves freezing of target tissues, usually by inserting a probe into the tumor through which coolant is circulated. Cryosurgery may be performed as an open surgical technique or as a closed procedure under laparoscopic or ultrasound guidance.

Cryosurgical treatment of various tumors has been reported for malignant and benign breast disease, lung cancer, pancreatic cancer, renal cell carcinoma, and bone cancer. The purpose of cryosurgical ablation is to provide a treatment option that is an alternative to or an improvement on existing therapies, such as surgical resection, other ablative techniques, or no intervention, in patients with solid tumors (located in the breast, lung, pancreas, kidney, or bone).

**Breast Tumors:** Early-stage primary breast cancers are treated surgically. The selection of lumpectomy, modified radical mastectomy, or another approach is balanced against the patient's desire for breast conservation, the need for tumor-free margins in resected tissue, and the patient's age, hormone receptor status, and other factors. Adjuvant radiotherapy decreases local recurrences, particularly for those who select lumpectomy. Adjuvant hormonal therapy and/or chemotherapy are added, depending on presence and number of involved nodes, hormone receptor status, and other factors. Treatment of metastatic disease includes surgery to remove the primary lesion and combination chemotherapy. Fibroadenomas are common benign tumors of the breast that can present as a palpable mass or a mammographic abnormality. These benign tumors are frequently surgically excised to rule out a malignancy.

**Lung Tumors:** Early-stage lung tumors are typically treated surgically. Patients with early-stage lung cancer who are not surgical candidates may be candidates for radiation treatment with curative intent.

Cryoablation is being investigated in patients who are medically inoperable, with small primary lung cancers or lung metastases. Patients with more advanced local disease or metastatic disease may undergo chemotherapy with radiation following resection. Treatment is rarely curative; rather, it seeks to retard tumor growth or palliate symptoms.

**Pancreatic Cancer:** Pancreatic cancer is a relatively rare solid tumor that occurs almost exclusively in adults and is almost always fatal. Surgical resection of tumors contained entirely within the pancreas is currently the only potentially curative treatment. However, the nature of the cancer is such that few tumors are found at such an early and potentially curable stage. Patients with more advanced local disease or metastatic disease may undergo chemotherapy with radiation following resection. Treatment focuses on slowing tumor growth and palliation of symptoms.

**Renal Cell Carcinomas:** Localized renal cell carcinoma (RCC) is treated with radical nephrectomy or nephron-sparing surgery. Prognosis drops precipitously if the tumor extends outside the kidney capsule because chemotherapy is relatively ineffective against metastatic RCC.

## POSITION STATEMENT

**Note:** This guideline is not applicable to cryosurgical ablation of solid tumors of the liver or prostate. Refer to section entitled [Related Guidelines](#).

**This guideline is limited to treatment in adults (age 18 years and older) and does not address pediatric populations.**

Cryosurgical ablation **meets the definition of medical necessity** to treat localized renal cell carcinoma that is no more than 4 cm in size when either of the following criteria is met:

- Preservation of kidney function is necessary (ie, the member has 1 kidney or renal insufficiency defined by a glomerular filtration rate [GFR] of less than 60 mL/min/m<sup>2</sup>) and standard surgical approach (ie, resection of renal tissue) is likely to substantially worsen kidney function; **OR**
- The member is not considered a surgical candidate.

Cryosurgical ablation **meets the definition of medical necessity** to treat lung cancer when either of the following criteria is met:

- The member has early-stage non-small cell lung cancer and is a poor surgical candidate; **OR**
- The member requires palliation for a central airway obstructing lesion.

Cryosurgical ablation is considered **experimental or investigational** as a treatment of benign or malignant tumors of the breast, lung (other than defined above), pancreas, or bone, and to treat renal cell carcinomas in members who are surgical candidates. The evidence is insufficient to determine the effects of the technology on health outcomes.

## BILLING/CODING INFORMATION:

### CPT Coding:

19105	Ablation, cryosurgical, of fibroadenomas, including ultrasound guidance, each <b>(Investigational)</b>
-------	---

20983	Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; cryoablation ( <b>Investigational</b> )
32994	Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, including imaging guidance when performed, unilateral; cryoablation
50250	Ablation, open, 1 or more renal mass lesions(s), cryosurgical, including intraoperative ultrasound guidance and monitoring, if performed
50542	Laparoscopy, surgical; ablation of renal mass lesions(s), including intraoperative ultrasound guidance and monitoring, when performed
50593	Ablation, renal tumor(s), unilateral, percutaneous, cryotherapy
0581T	Ablation, malignant breast tumor(s), percutaneous, cryotherapy, including imaging guidance when performed, unilateral ( <b>Investigational</b> )

### LOINC Codes:

The following information may be required documentation to support medical necessity: Physician history and physical, initial assessment, procedure notes, visit notes.

Documentation Table	LOINC Codes	LOINC Time Frame Modifier Code	LOINC Time Frame Modifier Codes Narrative
Physician history and physical	28626-0	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim.
Physician Initial Assessment	18736-9	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim.
Physician procedure note	11505-5	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim.
Attending physician visit note	18733-6	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim.

### REIMBURSEMENT INFORMATION:

Refer to section entitled [POSITION STATEMENT](#).

### PROGRAM EXCEPTIONS:

**Federal Employee Program (FEP):** Follow FEP guidelines.

**State Account Organization (SAO):** Follow SAO guidelines.

**Medicare Advantage products:** No National Coverage Determination (NCD) and/or Local Coverage Determination (LCD) were found at the time of the last guideline reviewed date.

If this Medical Coverage Guideline contains a step therapy requirement, in compliance with Florida law 627.42393, members or providers may request a step therapy protocol exemption to this requirement if based on medical necessity. The process for requesting a protocol exemption can be found at [Coverage Protocol Exemption Request](#)

## DEFINITIONS:

No guideline specific definitions apply.

## RELATED GUIDELINES:

[Cryoablation of Liver Tumors, 02-40000-22](#)

[Endoscopic Radiofrequency Ablation or Cryosurgical Ablation for Barrett's Esophagus, 01-91000-10](#)

[Radiofrequency Ablation of Liver Tumors, 02-40000-23](#)

[Radiofrequency Ablation of Solid Tumors Other Than Liver Tumors, 02-99221-13](#)

[Whole Gland Cryoablation of Prostate Cancer, 02-54000-14](#)

## OTHER:

None Applicable

## REFERENCES:

1. American Society of Breast Surgeons. Consensus Statement: Management of Fibroadenomas of the Breast, revised 04/29/18; accessed at [breastsurgeons.org](http://breastsurgeons.org).
2. Bland KL, Gass J, Klimberg VS. Radiofrequency, cryoablation, and other modalities for breast cancer ablation. *Surg Clin North Am.* 2007 Apr; 87 (2):539-50, xii.
3. Blue Cross Blue Shield Association Evidence Positioning System®. 7.01.92 Cryoablation of Tumors Located in the Kidney, Lung, Breast, Pancreas, or Bone, 08/22.
4. Campbell S, Uzzo RG, Allaf ME, et al. Renal mass and localized renal cancer: AUA sGuideline. *J Urol.* Sep 2017;198(3):520-529.
5. Casalino DD, Remer EM, Bishoff JT, Coursey CA, Dighe M, Harvin HJ, Heilbrun ME, Majd M, Nikolaidis P, Preminger GM, Raman SS, Sheth S, Vikram R, Weinfeld RM, Expert Panel on Urologic Imaging. ACR Appropriateness Criteria® post-treatment follow-up of renal cell carcinoma. [online publication]. Reston (VA): American College of Radiology (ACR); 2013.
6. Chen C, Garlich J, et al, Postoperative complications with cryotherapy in bone tumors. *J Bone Oncol.* 2017 Apr 6;7:13-17.
7. [ClinicalTrials.gov](https://clinicaltrials.gov). Freezing Alone Instead of Resection Of Small Breast Tumors: A Study of Cryoablation in the Management of Early Stage Breast Cancer; accessed August 2022.
8. [ClinicalTrials.gov](https://clinicaltrials.gov). ICE-SECRET PROSENSE™ Cryotherapy For Renal Cell Carcinoma Trial; accessed August 2022.
9. [ClinicalTrials.gov](https://clinicaltrials.gov). Phase II Trial of Focal Cryotherapy for Prostate Cancer; accessed August 2022.

10. Fine RE, Gilmore RC, et al. Cryoablation Without Excision for Low-Risk Early-Stage Breast Cancer: 3-Year Interim Analysis of Ipsilateral Breast Tumor Recurrence in the ICE3 Trial. *Ann Surg Oncol*. 2021 Oct;28(10):5525-5534. PMID: 34392462.
11. Jennings, JW, Prologo JD, et al. Cryoablation for Palliation of Painful Bone Metastases: The MOTION Multicenter Study. *Radiol Imaging Cancer*. 2021 Feb 12;3(2):e200101.
12. Keane MG, Bramis K, Pereira SP et al. Systematic review of novel ablative methods in locally advanced pancreatic cancer. *World J Gastroenterol* 2014; 20(9):2267-78.
13. Lakoma A, Kim ES. Minimally invasive surgical management of benign breast lesions. *Gland Surg*. May 2014; 3(2): 142–148.
14. Lim E, Kumar S, et al. Outcomes of Renal Tumors Treated by Image-Guided Percutaneous Cryoablation: Immediate and 3- and 5-Year Outcomes at a Regional Center. *AJR Am J Roentgenol*. Apr 14 2020;1-6.PMID:32286877.
15. Martin J, Athreya S. Meta-analysis of cryoablation versus microwave ablation for small renal masses: is there a difference in outcome? *Diagn Interv Radiol* 2013; 19(6):501-7.
16. Murray CA, Welch BT, et al. Safety and Efficacy of Percutaneous Image-guided Cryoablation of Completely Endophytic Renal Masses. *Urology*. Nov 2019;133:151-156.PMID:31415781.
17. Narayanan G, Daye D, et al. Ablation in Pancreatic Cancer: Past, Present and Future. *Cancers (Basel)*. 2021 Jun; 13(11): 2511.
18. National Comprehensive Cancer Network (NCCN). Clinical Practice Guidelines in Oncology: Adult Cancer Pain; accessed at [nccn.org](http://nccn.org).
19. National Comprehensive Cancer Network (NCCN). Clinical Practice Guidelines in Oncology: Kidney Cancer; accessed at [nccn.org](http://nccn.org).
20. National Comprehensive Cancer Network (NCCN). Clinical Practice Guidelines in Oncology: Non-Small Cell Lung Cancer; accessed at [nccn.org](http://nccn.org).
21. National Institute for Health and Clinical Excellence (NICE). Interventional procedure guidance [IPG405]; Laparoscopic cryotherapy for renal cancer. 08/11; accessed at [nice.org](http://nice.org).
22. Pecoraro A, Palumbo C, et al. Cryoablation Predisposes to Higher Cancer Specific Mortality Relative to Partial Nephrectomy in Patients with Nonmetastatic pT1b Kidney Cancer. *J Urol*. Dec 2019; 202(6):1120-1126.PMID:31347950.
23. Purysko AS, Nikolaidis P et al. ACR Appropriateness Criteria® Post-Treatment Follow-up and Active Surveillance of Clinically Localized Renal Cell Cancer. *J Am Coll Radiol*. 2019 Nov;16(11S):S399-S416.
24. Ratko TA, Vats V, Brock J, Ruffner BW Jr, Aronson N. Local Nonsurgical Therapies for Stage I and Symptomatic Obstructive Non–Small-Cell Lung Cancer. Comparative Effectiveness Review No. 112. (Prepared by Blue Cross and Blue Shield Association Technology Evaluation Center Evidence-based Practice Center under Contract No. 290-2007- 10058-I.) AHRQ Publication No. 13-EHC071-EF. Rockville, MD: Agency for Healthcare Research and Quality; June 2013.
25. Rembeyo G, Correias JM, et al. Percutaneous Ablation Versus Robotic Partial Nephrectomy in the Treatment of cT1b Renal Tumors: Oncologic and Functional Outcomes of a Propensity Score-weighted Analysis. *Clin Genitourin Cancer*. Apr 2020;18(2):138-147. PMID:31982346.
26. Wu J, Chang J, et al. A Comparison of Cryoablation with Heat-Based Thermal Ablation for Treatment of Clinical T1a Renal Cell Carcinoma: A National Cancer Database Study. *J Vasc Interv Radiol*. Jul 2019; 30(7):1027-1033.e3.PMID:31176590.
27. Yan S, Yang W, et al. Comparison among cryoablation, radiofrequency ablation, and partial nephrectomy for renal cell carcinomas sized smaller than 2 cm or sized 2-4 cm: A population-based study. *Medicine (Baltimore)*. May 2019;98(21): e15610.

## COMMITTEE APPROVAL:

This Medical Coverage Guideline (MCG) was approved by the Florida Blue Medical Policy and Coverage Committee on 12/08/23.

## GUIDELINE UPDATE INFORMATION:

02/15/04	New Medical Coverage Guideline.
03/15/05	Scheduled review; no change in coverage statement.
01/01/06	Annual HCPCS coding update (added 0120T, 0135T and 50250; deleted S2090 and S2091).
02/15/06	Scheduled review; no change in coverage statement.
01/01/07	Annual HCPCS coding update (added 19105; deleted 0120T.)
02/15/07	Scheduled review; no change in coverage statement.
04/15/07	Revision consisting of adding CPT code 50542.
06/15/07	Reformatted guideline.
10/15/07	Revision to Position Statement, changing verbiage from "breast cancer..." to "...tumors of the breast..."
01/01/08	Annual HCPCS coding update: added 50593, and deleted 0135T.
02/15/08	Scheduled review; no change in coverage statement; updated references.
09/15/08	Reviewed guideline; revised position statement to include renal cell carcinoma criteria for coverage; updated references.
09/15/09	Scheduled review; no change in position statements; updated references.
10/15/10	Scheduled review; position statement unchanged; references updated; formatting changes.
01/01/11	Annual HCPCS coding update: revised descriptors for 50250 and 50542.
09/15/11	Revision; formatting changes.
09/15/12	Annual review; position statement updated to address tumors of the lung; references updated.
10/15/13	Annual review; position statement unchanged; updated Description section with information regarding lung tumors; Program Exceptions section updated; references updated.
01/01/14	Annual HCPCS coding update: added 0340T.
10/15/14	Annual review; position statement unchanged; Program Exceptions section updated; references updated.
01/01/15	Annual coding update. Added 20983.
11/01/15	Revision: ICD-9 Codes deleted.
10/15/16	Revision; description, position statement, and references updated.
01/01/18	Annual CPT/HCPCS update. Deleted code 0340T.
02/15/18	Review; position statement section and references updated.
10/15/18	Revision; Update investigational position statement, description, and references updated.
01/01/20	Annual CPT/HCPCS coding update. Added code 0581T.
09/15/20	Review; Position statements maintained; coding and references updated.

10/15/22	Review: Title updated; note guideline does not address pediatric populations added; investigational statement updated; references updated.
08/21/23	Update to Program Exceptions section.
01/01/24	Position statements maintained.