

01-92502-12

Original Effective Date: 12/15/03

Reviewed: 03/27/25

Revised: 04/15/25

Subject: Computerized Dynamic Posturography

THIS MEDICAL COVERAGE GUIDELINE IS NOT AN AUTHORIZATION, CERTIFICATION, EXPLANATION OF BENEFITS, OR A GUARANTEE OF PAYMENT, NOR DOES IT SUBSTITUTE FOR OR CONSTITUTE MEDICAL ADVICE. ALL MEDICAL DECISIONS ARE SOLELY THE RESPONSIBILITY OF THE PATIENT AND PHYSICIAN. BENEFITS ARE DETERMINED BY THE GROUP CONTRACT, MEMBER BENEFIT BOOKLET, AND/OR INDIVIDUAL SUBSCRIBER CERTIFICATE IN EFFECT AT THE TIME SERVICES WERE RENDERED. THIS MEDICAL COVERAGE GUIDELINE APPLIES TO ALL LINES OF BUSINESS UNLESS OTHERWISE NOTED IN THE PROGRAM EXCEPTIONS SECTION.

Position Statement	Billing/Coding	Reimbursement	Program Exceptions	Definitions	Related Guidelines
Other	References	Updates			

DESCRIPTION:

Computerized dynamic posturography (CDP) attempts to provide quantitative information regarding the functional ability to maintain balance. The patient, wearing a harness to prevent falls, stands on an enclosed platform surrounded by a visual field. By altering the angle of the platform or shifting the visual field, the test assesses movement coordination and the sensory organization of visual, somatosensory, and vestibular information relevant to postural control. Results of posturography have been used to determine what type of information (i.e., visual, vestibular, proprioceptive) can and cannot be used to maintain balance. CDP cannot be used to localize the site of a lesion. The Food and Drug Administration (FDA) approved the EquiTest™ for computerized dynamic posturography. Other dynamic posturography device makers include Micromedical Technology, Metitur, Vestibular Technologies and Medicauteurs.

Summary and Analysis of Evidence: Computerized dynamic posturography (CDP) provides multisensory assessment of balance. Consensus and guidelines directing clinical application of CDP are lacking regarding CDP utility and coverage determinations vary. Computerized dynamic posturography (CDP) provides multisensory assessment of balance. Consensus and guidelines directing clinical application of CDP are lacking regarding CDP utility and coverage determinations vary (Chieffe, et al., 2023).

POSITION STATEMENT:

Dynamic posturography is considered **experimental or investigational**. The evidence is insufficient to determine that dynamic posturography results in an improvement in the net health outcome.

BILLING/CODING INFORMATION:

CPT Coding:

92548	Computerized dynamic posturography sensory organization test (CDP-SOT), 6 conditions (i.e., eyes open, eyes closed, visual sway, platform sway, eyes closed)
-------	--

	platform sway, platform and visual sway), including interpretation and report (investigational)
92549	Computerized dynamic posturography sensory organization test (CDP-SOT), 6 conditions (i.e., eyes open, eyes closed, visual sway, platform sway, eyes closed platform sway, platform and visual sway), including interpretation and report; with motor control test (MCT) and adaptation test (ADT) (investigational)

REIMBURSEMENT INFORMATION:

Refer to section entitled [POSITION STATEMENT](#).

PROGRAM EXCEPTIONS:

Federal Employee Program (FEP): Follow FEP guidelines.

State Account Organization (SAO): Follow SAO guidelines.

Medicare Advantage products: No National Coverage Determination (NCD) and/or Local Coverage Determination (LCD) were found at the time of the last guideline reviewed date.

If this Medical Coverage Guideline contains a step therapy requirement, in compliance with Florida law 627.42393, members or providers may request a step therapy protocol exemption to this requirement if based on medical necessity. The process for requesting a protocol exemption can be found at [Coverage Protocol Exemption Request](#).

DEFINITIONS:

No guideline related definitions apply.

RELATED GUIDELINES:

None applicable.

OTHER:

Other names used to report dynamic posturography:

Note: The use of specific product names is illustrative only. It is not intended to be a recommendation of one product over another, and is not intended to represent a complete listing of all products available.

Automated posturography

Balance board testing

Computerized dynamic posturography (CDP)

Computerized posturography

Computerized platform posturography

EquiTest

Equilibrium platform testing (EPT)
Moving platform posturography
Test of Balance (TOB)

REFERENCES:

1. Alahmari KA, Marchetti GF, Sparto PJ, et al. Estimating postural control with the balance rehabilitation unit: measurement consistency, accuracy, validity, and comparison with dynamic posturography. *Archives of Physical Medicine Rehabilitation* 2014; 95(1):65-73.
2. American Academy of Neurology, Assessment: Vestibular Testing Techniques in Adults and Children, 2000.
3. American Academy of Otolaryngology-Head and Neck Surgery. Position Statement: Posturography, 2014.
4. Badke MB, Miedaner JA, Shea TA et al. Effects of vestibular and balance rehabilitation on sensory organization and dizziness handicap. *Annals of Otology, Rhinology, and Laryngology*. 2005; 114(1 Pt1): 48-54.
5. Blue Cross Blue Shield Association Evidence Positioning System®. 2.01.02 Dynamic Posturography, 03/25.
6. Chieffe DJ, Zuniga SA, Marmor S, et al. Nationwide Utilization of Computerized Dynamic Posturography in an Era of Deimplementation. *Otolaryngol Head Neck Surg*. 2023 Oct;169(4):1090-1093.
7. Emam AA, Gad AM, Ahmed MM et al. Quantitative assessment of posture stability using computerized dynamic posturography in type 2 diabetic patients with neuropathy and its relation to glycaemic control. *Singapore Medical Journal* 2009; 50(6):614-618.
8. EquiTest® NeruoCom Systems computerized Dynamic Posturography (CDP), 2005.
9. Ferrazzoli D, Fasano A, Maestri R, et al. Balance dysfunction in Parkinson's disease: the role of posturography in developing a rehabilitation program. *Parkinsons Disease* 2015:520128.
10. Fritz NE, Newsome SD, Eloyan A, et al. Longitudinal relationships among posturography and gait measures in multiple sclerosis. *Neurology* 2015;84(20):2048-2056.
11. Furman JM, Barton J. Evaluation of the patient with vertigo. In: UpToDate, Post TW (Ed), UpToDate, Waltham, MA. (Accessed on May 02, 2023.)
12. Gouveris H, Stripf T, Victor A et al. Dynamic posturography findings predict balance status in vestibular schwannoma patients. *Otology & Neurotology*. 2007; 28(3): 372-375.
13. Han BI, Song HS, Kim JS. Vestibular rehabilitation therapy: review of indications, mechanism, and key exercises. *Journal of Clinical Neurology*. 2011 Dec; 7(4):184-196.
14. Miedaner JA, Grove CR, Shea TA, et al. Effects of Vestibular and Balance Rehabilitation on Sensory Organization and Dizziness Handicap. *Annals of Otology, Rhinology & Laryngology* 2005; 114: 48-54.
15. Mirka A, Black FO. Clinical application of dynamic posturography for evaluating sensory integration and vestibular dysfunction. *Neurology Clinical*. 1990; 8(2): 351-359.
16. Nicolas P, Eduardo M, Rafael Garcia-Tapia. Dizziness: Relating the Severity of Vertigo to the Degree of Handicap by Measuring Vestibular Impairment. *Otolaryngology-Head and Neck Surgery* 2003; 128(3): 372-381.
17. Nocera J, Horvat M, Ray CT. Effects of home-based exercise on postural control and sensory organization in individuals with Parkinson disease. *Parkinsonism & Related Disorders* 2009; 15(10): 742-745.

18. Perez N, Martin E, Garcia-Tapia R. Dizziness: relating the severity of vertigo to the degree of handicap by measuring vestibular impairment. *Otolaryngology Head and Neck Surgery*. 2003; 128(3): 372-381.
19. Stewart MG, Chen AY, Wyatt JR et al. Cost-effectiveness of the diagnostic evaluation of vertigo. *Laryngoscope*. 1999; 109(4): 600-605.
20. Teggi R, Caldirola D, Fabiano B et al. Rehabilitation after acute vestibular disorders. *The Journal of Laryngology and Otology* 2009; 123(4): 397-402.
21. Whitney SL, Marchetti GF, Schade AI. The relationship between falls history and computerized dynamic posturography in persons with balance and vestibular disorders. *Archives of Physical Medicine and Rehabilitation*. 2006; 87(3):402-407.
22. Whitney SL, Roche JL, Marchetti GF et al. A comparison of accelerometry and center of pressure measures during computerized dynamic posturography: a measure of balance. *Gait Posture* 2011; 33(4):594-99.

COMMITTEE APPROVAL:

This Medical Coverage Guideline (MCG) was approved by the Florida Blue Medical Policy and Coverage Committee on 03/27/25.

GUIDELINE UPDATE INFORMATION:

12/15/03	New Medical Coverage Guideline.
12/15/04	Reviewed; no change in investigational status.
02/15/06	Revised description section. Added program exception (covered indications and ICD-9 codes that support medical necessity-*note-expanded codes to include the 4th and 5th digit) for Medicare Advantage products, and updated references.
02/15/07	Scheduled review. No change in investigational status. Updated Medicare Advantage products program exception; deleted 850.20 – 850.29 code range, and updated references.
06/15/07	Reformatted guideline; references updated.
02/15/08	Scheduled review. No change in position statement (investigational). Added computerized to MCG title. Revised descriptor. Updated Medicare Advantage products program exception, and updated references.
02/15/09	Scheduled review. No change in position statement (experimental or investigational), and updated references.
02/15/10	Scheduled review. No change in position statement (experimental or investigational). Updated references. Deleted Medicare Advantage products program exceptions.
04/15/11	Added Medicare Advantage products program exceptions. Updated references.
05/11/14	Revision: Program Exceptions section updated.
11/01/15	Revision: ICD-9 Codes deleted.

06/15/17	Review; no change in position statement. Updated references.
03/15/19	Review; no change in position statement. Updated references.
01/01/20	Annual HCPCS code update. Added code 92549.
06/15/21	Review; revised position statement. Updated references.
06/15/23	Review; no change in position statement. Updated references.
04/15/24	Review; no change in position statement. Updated references.
04/15/25	Review; no change in position statement.