

02-99221-14

Original Effective Date: 03/15/09

Reviewed: 08/22/24

Revised: 09/15/24

Subject: Computer Assisted Surgical Navigation

THIS MEDICAL COVERAGE GUIDELINE IS NOT AN AUTHORIZATION, CERTIFICATION, EXPLANATION OF BENEFITS, OR A GUARANTEE OF PAYMENT, NOR DOES IT SUBSTITUTE FOR OR CONSTITUTE MEDICAL ADVICE. ALL MEDICAL DECISIONS ARE SOLELY THE RESPONSIBILITY OF THE PATIENT AND PHYSICIAN. BENEFITS ARE DETERMINED BY THE GROUP CONTRACT, MEMBER BENEFIT BOOKLET, AND/OR INDIVIDUAL SUBSCRIBER CERTIFICATE IN EFFECT AT THE TIME SERVICES WERE RENDERED. THIS MEDICAL COVERAGE GUIDELINE APPLIES TO ALL LINES OF BUSINESS UNLESS OTHERWISE NOTED IN THE PROGRAM EXCEPTIONS SECTION.

Position Statement	Billing/Coding	Reimbursement	Program Exceptions	Definitions	Related Guidelines
Other	References	Update			

DESCRIPTION:

NOTE: This Medical Coverage Guideline addresses computer assisted surgical navigational procedures that do not have a specific Medical Coverage Guideline.

Computer assisted surgical navigation combines imaging with navigational computer software for displaying images, localizing surgical targets, facilitating view of non-visualized anatomy and aiding physicians in guiding endoscopic tools. Computer assisted surgical navigation use computer technology, which facilitate pre-surgical planning and for guiding and performing surgical procedures.

Computer assisted surgical navigational may be performed in addition to a primary procedure (e.g., biopsy, endoscopy, surgery). The U.S. Food and Drug Administration (FDA) have cleared through the 510(k) process several devices (e.g., superDimension/Bronchus, LungPoint™ Virtual Bronchoscopic Navigation (VBN) Software, ig4™ System) for displaying images, placement of markers and for guiding endoscopic tools or catheters in the pulmonary tract.

Electromagnetic navigation bronchoscopy (ENB) combines simultaneous computed tomography (CT) virtual bronchoscopy with real-time fiberoptic bronchoscopy. ENB is intended to enhance standard bronchoscopy by providing a three-dimensional roadmap of the lungs and real-time information about the position of the steerable probe during bronchoscopy. Electromagnetic navigation bronchoscopy during flexible bronchoscopy has been proposed as a method to further increase the diagnostic yield of bronchoscopy in the diagnosis of peripheral and mediastinal lung lesions and insertion of endoscopic tools (needle, brush, forceps) for lesion sampling, fiducial and dye marker placement prior to treatment.

For Computer assisted surgical navigational procedure for orthopedic procedures, refer to MCG [02-20000-30, Computer Assisted Musculoskeletal Surgical Navigational Orthopedic Procedure Medical Coverage Guideline](#).

Summary and Analysis of Evidence: Muñoz-Largacha et al (2017) evaluated the effectiveness of electromagnetic navigational bronchoscopy (ENB) with dye marking to aid minimally invasive resection. Patients with peripheral pulmonary nodules underwent ENB before planned thoracoscopic or robotic-assisted thoracoscopic resection. Methylene blue was injected directly into the lesion for pleural-based lesions or peripherally for lesions deep to the pleural surface. Surgical resection was then immediately performed. Technical success was defined as identification of the dye marking within/close to the lesion with pathological confirmation after minimally invasive surgical resection. Seventeen patients (19 nodules) underwent ENB with dye marking followed by minimally invasive resection. Median lesion size was 9 mm (4-32 mm) and the median distance from the pleura was 9.5 mm (1-40 mm). Overall success rate was 79% (15/19). In two cases the dye was not visualized and in the remaining two there was extravasation of dye into the pleural space. There were trends favoring technical success for nodules that were larger or closer to the pleural surface. Five patients required adhesiolysis to visualize the target lesion and all were successful. There were no significant adverse events, and a definitive diagnosis was ultimately accomplished in all patients. ENB with dye marking is useful for guiding minimally invasive resection of small peripheral lung nodules. ENB can be undertaken immediately before performing resection in the operating room. This improves workflow and avoids the need for a separate localization procedure. Several clinical studies suggests that ENB is an effective and safe procedure in diagnosing peripheral lung lesions (Ozgul et al 2016, Muñoz-Largacha et al 2017, McGuire et al 2020, Folch et al 2020)

POSITION STATEMENT:

Electromagnetic navigation bronchoscopy **meets the definition of medical necessity** for any of the following:

- Member with a suspicious solitary pulmonary nodule that is inaccessible by standard bronchoscopy or endobronchial ultrasound (EBUS) and there is a low probability of diagnostic yield; **OR**
- Member with a suspicious solitary pulmonary nodule where an invasive procedure (e.g., percutaneous lung biopsy) pose a risk to the member because of conditions (e.g., bullous lung disease, diffuse emphysema); **OR**
- Member with an identified lung lesion(s) and a co-existing cancer in whom further determination of the lung lesion(s) will impact staging and treatment of the primary tumor; **OR**
- Placement of fiducial markers in member who is not a candidate for surgical intervention and who have elected to undergo radiation therapy.

Electromagnetic navigation bronchoscopy is considered **experimental or investigational** for all other indications. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Exclusions:

Electromagnetic navigation for bronchoscopy **does not meet the definition of medical necessity** when any of the following conditions exist:

- The member has a solitary pulmonary nodule that is stable on imaging tests for at least two years.
- The member has a solitary pulmonary nodule that is calcified in a clearly benign pattern.

- The member has a low pretest probability of malignancy (<30 to 40%) and an indeterminate solitary pulmonary nodule that measures at least 8 to 10 mm in diameter, and the lesion is not hypermetabolic by FDG-PET imaging, or does not enhance .15 HU on dynamic contrast CT.
- CT scan indicates the lesion is accessible by a standard flexible bronchoscopy.

Computer assisted surgical navigational, refer to [REIMBURSEMENT INFORMATION](#).

BILLING/CODING INFORMATION:

CPT Coding:

31627	Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with computer-assisted, image-guided navigation (List separately in addition to code for primary procedure[s])
-------	--

REIMBURSEMENT INFORMATION:

The use of device(s) (e.g., surgical, software, other [specified and unspecified]) in conjunction with or without computer assisted surgical navigational procedures is considered an integral part of the primary surgical procedure and is not separately reimbursable.

LOINC Codes:

The following information may be required documentation to support medical necessity: physician history and physical, physician progress notes, plan of treatment and reason for electromagnetic navigation bronchoscopy.

Documentation Table	LOINC Codes	LOINC Time Frame Modifier Code	LOINC Time Frame Modifier Codes Narrative
Physician history and physical	28626-0	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Attending physician progress note	18741-9	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Plan of treatment	18776-5	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Radiology reason for study	18785-6	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim

Radiology comparison study-date and time	18779-9	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Radiology comparison study observation	18834-2	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Radiology-study observation	18782-3	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Physician history and physical	28626-0	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim
Attending physician progress note	18741-9	18805-2	Include all data of the selected type that represents observations made six months or fewer before starting date of service for the claim

PROGRAM EXCEPTIONS:

Federal Employee Program (FEP): Follow FEP guidelines.

State Account Organization (SAO): Follow SAO guidelines.

Medicare Advantage Products: No National Coverage Determination (NCD) and/or Local Coverage Determination (LCD) were found at the time of the last guideline revised date.

DEFINITIONS:

No guideline specific definitions apply.

RELATED GUIDELINES:

[Computer Assisted Musculoskeletal Surgical Navigational Orthopedic Procedure, 02-20000-30](#)

OTHER:

Other names used to report computer assisted surgical navigational procedures:

Note: The use of specific product names is illustrative only. It is not intended to be a recommendation of one product over another, and is not intended to represent a complete listing of all products available.

Computer aided surgery

Computer assisted intervention
Computer assisted surgery
Electromagnetic navigation (EMN)
Electromagnetic navigation bronchoscopy (ENB)
Image guided surgery
Surgical navigation

REFERENCES:

1. Al-Jaghbeer M, Marcus M, Durkin M et al. Diagnostic yield of electromagnetic navigational bronchoscopy. *Therapeutic Advances in Respiratory* 2016 Aug; 10 (4):295-299.
2. Al-Zubaidi N, Soubani AO. Advances in diagnostic interventional pulmonary. *Avicenna Journal Medicine* 2015; 5(3): 57-66.
3. Anantham D, Feller-Kopman D, Shanmugham LN et al. Electromagnetic navigation bronchoscopy-guided fiducial placement for robotic stereotactic radiosurgery of lung tumors. *Chest* 2007; 132:930-935.
4. Asano F, Matsuno Y, Shinagawa N et al. A virtual bronchoscopic navigation system for pulmonary peripheral lesions. *Chest* 2006; 130:559-566.
5. Awais O, Reidy MR, Mehta et al. Electromagnetic Navigation Bronchoscopy-Guided Dye Marking for Thoracoscopic Resection of Pulmonary Nodules. *Annals of Thoracic Surgery* 2016 Jul; 102(1):223-229.
6. Baumhauer M, Feuerstein M, Meinzet HP et al. Navigation in endoscopic soft tissue surgery: perspectives and limitations. *Journal of Endourology* 2008; 22(4): 751-66.
7. Blue Cross Blue Shield Association Evidence Positioning System®. 7.01.122 Electromagnetic Navigational Bronchoscopy, 07/24.
8. Bolton WD, Howe H 3rd, Stephenson JE. The utility of electromagnetic navigational bronchoscopy as a localization tool for robotic resection of small pulmonary nodules. *Annals of Thoracic Surgery* 2014 Aug; 98(2):471-475. Bowling MR, Folch EE, Khandhar S et al. Fiducial marker placement with electromagnetic navigation bronchoscopy: a subgroup analysis of the prospective, multicenter NAVIGATE study. *Ther Adv Respir Dis* 2019 Apr;13:1753466619841234.
9. Dale CR, Madtes DK, Fan VS. Navigational bronchoscopy with biopsy versus CT-guided biopsy for the diagnosis of a solitary pulmonary nodule: a cost-consequences analysis. *Journal Bronchology Intervention Pulmonology* 2013; 19(4): 294-303.
10. Detterbeck FC, Lewis SZ, Diekemper R et al. Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest* 2013; 143(5): 7S-37S.
11. Du Rand IA, Barber PV, Goldring J, et al. British Thoracic Society guideline for advanced diagnostic and therapeutic flexible bronchoscopy in adults. *Thorax* 2011; 66(Suppl 3): iii1-21.
12. Eberhardt R, Anantham D, Herth F et al. Electromagnetic navigation diagnostic bronchoscopy in peripheral lung lesions. *Chest* 2007; 131: 1800-1805.
13. Eberhardt R, Anantham D, Ernst A et al. Multimodality bronchoscopic diagnosis of peripheral lung lesions: a randomized controlled trial. *American Journal of Respiratory and Critical Care Medicine* 2007; 176: 37-41.
14. Eberhardt R, Kahn N, Gompelmann D et al. LungPoint--a new approach to peripheral lesions. *Journal of Thoracic Oncology* 2010 Oct; 5(10):1559-1563.

15. Eberhardt R, Morgan RK, Ernst A et al. Comparison of suction catheter versus forceps biopsy for sampling of solitary pulmonary nodules guided by electromagnetic navigational bronchoscopy. *Respiration*. 2010;79(1):54-60.
16. Fengqiang L, Jiadong Q, Yi L. Computer-assisted stereotactic neurosurgery with framework neurosurgery. *Clinical Neurology and Neurosurgery* 2008; 110(7): 696-700.
17. Folch EE, Bowling MR, Gildea TR et al. Design of a prospective, multicenter, global, cohort study of electromagnetic navigation bronchoscopy. *BMC Pulmonary Medicine* 2016 Apr 26; 16(1):60.
18. Folch EE, Labarca G, Ospina-Delgado D, et al. Sensitivity and Safety of Electromagnetic Navigation Bronchoscopy for Lung Cancer Diagnosis: Systematic Review and Meta-analysis. *Chest*. 2020 Oct;158(4):1753-1769. [Abstract]
19. Folch, EE, Pritchett, MM, Nead, MM et al. Electromagnetic navigation Bronchoscopy for peripheral pulmonary lesions: one-year results of the prospective, multicenter NAVIGATE study.. *J Thorac Oncol* 2018 Nov 27;14(3).
20. Gex G, Pralong JA, Combescure C et al. Diagnostic yield and safety of electromagnetic navigation bronchoscopy for lung nodules: a systematic review and meta-analysis. *Respiration*. 2014;87(2):165-176.
21. Gildea TR, Mazzone PJ, Karnak D et al Electromagnetic navigation diagnostic bronchoscopy: a prospective study. *American Journal of Respiratory and Critical Care Medicine* 2006; 176: 982-989.
22. Gould MK, Donington J, Lynch WR et al. Evaluation of individuals with pulmonary nodules: When is it lung cancer? Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. *Chest* 2013; 143(5 Suppl.): e93S-e120S.
23. inReach-superDimension inResearch™ System, 2008.
24. Kalfas IH. Image-guided spinal navigation: application to spinal metastases. *Neurosurgical Focus* 2001; 11(6): 1-10.
25. Khan KA, Nardelli P, Jaeger A et al. Navigational Bronchoscopy for Early Lung Cancer: A Road to Therapy. *Advances in Therapy* 2016 Apr; 33(4):580-596.
26. Khandhar SJ, Bowling MR, Flandes J. Electromagnetic navigation bronchoscopy to access lung lesions in 1,000 subjects: first results of the prospective, multicenter NAVIGATE study. *BMC Pulmonary Medicine* 2017; 17(1):59.
27. Krinsky WS, Minnich DJ, Cattaneo SM et al. Thoracoscopic detection of occult indeterminate pulmonary nodules using bronchoscopic pleural dye marking. *Journal of Community Hospital Internal Medicine Perspectives* 2014 Feb 17;4.
28. Lamprecht B, Porsch P, Wegleitner B et al. Electromagnetic navigation bronchoscopy (ENB): Increasing diagnostic yield. *Respiratory Medicine* 2012; 106(5): 710-715.
29. Leong S, Ju H, Marshall H et al. Electromagnetic navigation bronchoscopy: A descriptive analysis. *Journal of Thoracic Disease* 2012; 1(4): 173-185.
30. Loo FL, Halligan AM, Port JL et al. The emerging technique of electromagnetic navigation bronchoscopy-guided fine-needle aspiration of peripheral lung lesions: promising results in 50 lesions. *Cancer Cytopathology* 2014; 122(3): 191-199.
31. Makris D, Scherpereel A, Leroy S et al. Electromagnetic navigation diagnostic bronchoscopy for small peripheral lung lesions. *European Respiratory Journal* 2007; 29(6): 1187-1192.
32. Marino KA, Sullivan JL, Weksler B. Electromagnetic Navigation Bronchoscopy for Identifying Lung Nodules for Thoracoscopic Resection. *Annals of Thoracic Surgery* 2016 Aug; 102(2):454-457.

33. McGuire AL, Myers R, Grant K, et al. The Diagnostic Accuracy and Sensitivity for Malignancy of Radial-Endobronchial Ultrasound and Electromagnetic Navigation Bronchoscopy for Sampling of Peripheral Pulmonary Lesions: Systematic Review and Meta-analysis. *J Bronchology Interv Pulmonol*. 2020 Apr; 27(2):106-121.
34. Mezger U, Jendrewaki C, Barteis M. Navigation in surgery. *Longenbeck's Archives of Surgery* 2013; 398:501-514.
35. Muñoz-Largacha JA, Ebright MI, Litle VR et al. Electromagnetic navigational bronchoscopy with dye marking for identification of small peripheral lung nodules during minimally invasive surgical resection. *Journal of Thoracic Disease* 2017 Mar; 9(3):802-808.
36. Muñoz-Largacha JA, Litle VR, Fernando HC. Navigation bronchoscopy for diagnosis and small nodule location. *Journal of Thoracic Disease* 2017 Mar; 9(Suppl 2):S98-S103.
37. Rivera MP, Mehta AC, Wahidi MM. Establishing the Diagnosis of Lung Cancer, Diagnosis and Management of Lung Cancer, 3rd ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. *Chest* 2013; 143 (5)(Suppl): e143S-e165S.
38. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology. Non-Small Cell Lung Cancer. Version 7.2024.
39. Ost DE, Ernst A, Lei X et al. Diagnostic Yield and Complications of Bronchoscopy for Peripheral Lung Lesions. Results of the AQUIRE Registry. *American Journal of Respiratory and Critical Care Medicine* 2016 Jan 1;193(1):68-77.
40. Ozgul G, Cetinkaya E, Ozgul MA. Efficacy and safety of electromagnetic navigation bronchoscopy with or without radial endobronchial ultrasound for peripheral lung lesions. *Endoscopic Ultrasound* 2016; 5(3): 189-95.
41. Patrucco F, Daverio M, Airoidi C, et al. 4D Electromagnetic Navigation Bronchoscopy for the Sampling of Pulmonary Lesions: First European Real-Life Experience. *Lung*. 2021 Oct;199(5):493-500.
42. Port J, Harrison S. Electromagnetic navigational bronchoscopy. *Seminars in Interventional Radiology* 2013; 30(2): 128-132.
43. Rivera MP, Mehta AC, Wahidi MM. Establishing the diagnosis of lung cancer: Diagnosis and management of lung cancer, 3rd ed.: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest* 2013; 143(5Suppl): e142S-e165S.
44. Rivera MP, Mehta AC; American College of Chest Physicians. Initial diagnosis of lung cancer: ACCP evidence-based clinical practice guidelines (2nd edition). *Chest* 2007; 132(3 Suppl): 131S-148S.
45. Santos RS, Gupta A, Ebright MI, DeSimone M et al. Electromagnetic navigation to aid radiofrequency ablation and biopsy of lung tumors. *Annals of Thoracic Surgery* 2010 Jan; 89(1):265-268.
46. Schulz C, Waldeck S, Mauer UM. Intraoperative image guidance in neurosurgery: development, current indications, and future trends. 2012. *Radiology Research and Practice* 2012; 2012:197364.
47. Schramm A, Suarez-Cunqueiro MM, Barth EL et al. Computer-assisted navigation in craniomaxillofacial tumors. *Journal of Craniomaxillofacial Surgery* 2008;19(4): 1067-1074.
48. Schwartz Y, Greif J, Becker H et al. Real-time electromagnetic navigation bronchoscopy to peripheral lung lesions using overlaid CT images: the first human study. *Chest* 2006; 129; 988-994.
49. Song JW, Park IK, Bae SY, et al. Electromagnetic Navigation Bronchoscopy-Guided Dye Marking for Localization of Pulmonary Nodules. *Ann Thorac Surg*. 2022 May;113(5):1663-1669. [Abstract]

50. Song JY, Shin SH, Yoo H, et al. Efficacy of Combining Multiple Electromagnetic Navigation Bronchoscopy Modalities for Diagnosing Lung Nodules. J Clin Med. 2022 Dec 10;11(24):7341.
51. Staecker H, O'Malley BW, Eisenberg H et al. Use of the LandmarX™ surgical navigational system in lateral skull base and temporal bone surgery. Skull Base 2001; 11(4): 245-255.
52. Sun X, Su Y, Li S, et al. [Diagnostic Value and Safety of Electromagnetic Navigation Bronchoscopy in Peripheral Pulmonary Lesions: a Meta-Analysis]. Zhongguo Fei Ai Za Zhi. 2023 Feb 20;26(2):119-134. [Abstract]
53. U.S. Food and Drug Administration (FDA) 510(k) K091934 Premarket Notification Database-ig4™ Endobronchial, 12/02/09.
54. U.S. Food and Drug Administration (FDA) 510(k) K042438 Premarket Notification Database-Superdimension/Bronchus, 11/08/04.
55. U.S. Food and Drug Administration (FDA) 510(k) K091160 Premarket Notification Database-LungPoint™ Virtual Bronchoscopic Navigation (VBN) Software, 05/05/09.
56. Wang Memoli JS, Nietert PJ, Silvestri GA. Meta-analysis of guided bronchoscopy for the evaluation of the pulmonary nodule. Chest 2012; 142(2): 385-393.
57. Wang S, Yang J, Luo S, et al. The accuracy of electromagnetic navigation bronchoscopy compared to fluoroscopy in navigation of transbronchial lung cryobiopsy in patients with interstitial lung disease. BMC Pulm Med. 2024 Mar 4; 24(1):108.
58. Weiser TS, Hyman K, Yun J et al. Electromagnetic navigational bronchoscopy: a surgeon's perspective. The Annals of Thoracic Surgery 2008; 85(2): S797-S801.
59. Wiener RS, Schwartz LM, Woloshin S et al. Population-based risk for complications after transthoracic needle lung biopsy of a pulmonary nodule: an analysis of discharge records. Population-based risk of complications following transthoracic needle lung biopsy of a pulmonary nodule Annals of Internal Medicine 2011; 155(3): 137-144.
60. Zhang W, Chen S, Dong X et al. Meta-analysis of the diagnostic yield and safety of electromagnetic navigation bronchoscopy for lung nodules. Journal of Thoracic Disease 2015; 7(5): 799-809.

COMMITTEE APPROVAL:

This Medical Coverage Guideline (MCG) was approved by the Florida Blue Medical Policy and Coverage Committee on 08/22/24.

GUIDELINE UPDATE INFORMATION:

03/15/09	New Medical Coverage Guideline.
01/01/10	Annual HCPCS coding update: added 31627, and updated references.
03/15/10	Scheduled review. No change in position statement (experimental or investigational), and updated references.
01/01/11	Annual HCPCS coding update: added 61781, 61782 and 61783.
01/15/11	Deleted codes 61781, 61782 and 61783.
03/15/11	Annual review: position statements maintained, updated description; added FDA information regarding superDimension/Bronchus System and LungPoint™ Virtual Bronchoscopic Navigation (VBN) Software, added “and placement of fiducial markers” to position statement, revised reimbursement information; added software and

	wording “or without”, added Medicare Advantage program exception, and updated references.
02/15/13	Updated Medicare Advantage products program exception.
05/11/14	Revision: Program Exceptions section updated.
09/15/16	Review; no change to position statement. Removed “procedures and devices” from subject. Updated references.
10/15/17	Review; no change in position statement. Updated references.
09/15/18	Review; position statement added for solitary pulmonary nodule, lung lesion and fiducial markers. Revised computer assisted surgical navigation position statement. Updated references.
08/15/19	Review; no change in position statement. Updated references.
08/15/21	Review; revised computer assisted surgical navigational statement. Updated references.
09/15/23	Review; no change in position statement. Updated references.
09/15/24	Review; no change in position statement. Updated references.